




2021

Wall Washer

www.neslight.com

NES Light
SMART SOLUTION



Wall Washer

CONTENTS

- P3. Garden Lighting
- P4. RGB Garden Lighting
- P5. Wall Washer
- P6. Flood Light




Systems give lighting designers all the creative flexibility they could wish for, and at the same time offer enormous savings in an energy use.

Garden Lighting

6W RGB+CCT Smart LED Garden Lamp





Product Name : 6W RGB+CCT Smart LED Garden Lamp
 Model No. : FUTC04
 Power : 6W
 Voltage : AC100~240V 50/60Hz
 Kelvin : 2700~6500K
 Luminous Flux : 420LM
 Luminous Efficiency : 70LM/W
 CRI : >75
 PF : >0.5
 Lifespan : 50000 hours
 Beam Angle : 25°
 Illumination distance : >10m
 IP Rate : IP66



15W RGB+CCT LED Garden Light



Product Name : 15W RGB+CCT LED Garden Lamp
 Model No. : FUTC03
 Power : 15W
 Input Voltage : AC100~240V 50/60Hz
 Color Temperature : 2700K~6500K
 Luminous Flux : 1200LM
 Light Efficiency : 80LM/W
 CRI : >80
 PF : >0.5
 Lifespan : 50000 hours
 Beam Angle : 15°
 Illumination distance : >10m
 IP Rate : IP65
 Material : Aluminum





RGB Garden Lighting

9W RGB+CCT LED Garden Light DC 24V





Product Name: 9W RGB+CCT LED Garden Lamp
Model No.: FUTC01
Power: 9W
Input Voltage: DC 24V
Color Temperature: 2700K~6500K
Luminous Flux: 700LM
Light Efficiency: 80LM/W
CRI: >80
Lifespan: 50000 hours
Beam Angle: 15°
Illumination distance: >10m
IP Rate : IP65
Material: Aluminum



9W RGB+CCT LED Garden Light AC100~240V



Product Name: 9W RGB+CCT LED Garden Lamp
Model No.: FUTC02
Power: 9W
Input Voltage: AC100~240V 50/60Hz
Color Temperature: 2700K~6500K
Luminous Flux: 700LM
Light Efficiency: 80LM/W
CRI: >80
PF: >0.5
Lifespan: 50000 hours
Beam Angle: 15°
Illumination distance: >10m
IP Rate : IP65
Material: Aluminum



Wall Washer

RGB+CCT LED Wall Washer Light



Product Name: RGB+CCT LED Wall Washer Light(Subordinate Lamp)

Model No.: SYS-RL1

Input Voltage: DC24V

Power: 24W

Working Temperature: -20~60

Color temperature: 2700~6500K

Luminous Flux: 1800LM

Light Efficiency: 75LM/W

CRI: >80



Lifespan: 50000h

Beam Angle: 15°60°


Illumination distance: >15m

IP Rate: IP66

Housing Material: Die-cast aluminum, stalinite



24W RGB+CCT LED Wall Washer Light



Product Name: 24W RGB+CCT LED Wall Washer Light

Model No.: RL1-24

Input Voltage: AC100~240V 50/60Hz

Power: 24W

Working Temperature: -20~60℃

Color temperature: 2700~6500K

Luminous Flux: 1800LM

Light Efficiency: 75LM/W

CRI: >80

PF: >0.9


Lifespan: 50000h

Beam Angle: 15°60°

Illumination distance: >15m

IP Rate: IP66

Housing Material: Die-cast aluminum, stalinite




Flood light

50W RGB+CCT LED Floodlight



Product Name: 50W RGB+CCT LED Floodlight
 Model No: FUTT02
 Power: 50W
 White LED Power: 50W
 RGB LED Power: 36W
 Voltage: AC100~240V 50/60Hz
 Kelvin: 2700-6500K
 Luminous Flux: 3500-4000LM
 Luminous Efficiency: 80LM/W
 CRI: >80
 Beam Angle: 160°
 PF: ≥0.9
 Material: Aluminum Material
 IP Rate : IP65
 Size: 220*50*310.5mm
 Application Areas: garden, doors, garages





16 Million colors to choose



30W RGB+CCT LED Floodlight



Product Name: 30W RGB+CCT LED Floodlight
 Model No: FUTT03
 Power: 30W
 White LED Power: 30W
 RGB LED Power: 30W
 Voltage: AC100~240V 50/60Hz
 Kelvin: 2700-6500K
 Luminous Flux: 2500-2800LM
 Luminous Efficiency: 85LM/W
 CRI: >80
 Beam Angle: 160°
 PF: ≥0.9
 Material: Aluminum Material
 IP Rate : IP65
 Size: 167*40*226.5mm
 Application Areas: garden, doors, garages





Flood light

20W RGB+CCT LED Floodlight






Product Name: 20W RGB+CCT LED Floodlight
 Model No: FUTT04
 Power: 20W
 White LED Power: 20W
 RGB LED Power: 20W
 Voltage: AC100~240V 50/60Hz
 Kelvin: 2700-6500K
 Luminous Flux: 1500-1800LM
 Luminous Efficiency: 85LM/W
 CRI: >80
 Beam Angle: 160°
 PF: ≥0.9
 Material: Aluminum Material
 IP Rate: IP65
 Size: 152*40*216.5mm
 Application Areas: garden, doors, garages



10W RGB+CCT LED Floodlight Voltage: AC100~240V or DC24V



Product Name: 10W RGB+CCT LED Floodlight
 Model No.: FUTT05
 Power: 10W
 White LED Power: 10W
 RGB LED Power: 7.5W
 Voltage: AC100~240V or DC24V
 Kelvin: 2700-6500K
 Luminous Flux: 750-900LM
 Luminous Efficiency: 85LM/W
 Standby Power Consumption: 0.5W
 CRI: >80
 PF: >0.5
 Beam Angle: 160°
 IP Rate: IP65
 Size: 107*32*166mm



NES Light

SMART SOLUTION

1179 Edgewater Ave. Ridgefield, NJ 07657 / Tel : (201) 840-0400 / neslight@gmail.com / info@neslight.com

