











# Architectural



Systems give lighting designers all the creative flexibility they could wish for, and at the same time offer enormous savings in an energy use.

# **CONTENTS**

P3. Garden Lighting

P4. RGB Garden Lighting

P5. Wall Washer

P6. Flood Light



Since its establishment in 2002, NES Light has been concentrating on research and development in this cutting-edge technology and here you will find cost-effective and environment friendly lighting solutions (LED lamps use 80% to 90% less energy than the incandescent lamps they replace). Our goal is to save our environment and provide low cost with high quality LEDs to our customers. Also, we are ready for your custom applications.

All executives and employees of NES Light are proud of our products and promise you our best to fit your needs.

Our LEDs, - Low Voltage and electric currency product saves power more than 80% compare to Neon.













#### 6W RGB+CCT Smart LED Garden Lamp



Product Name: 6W RGB+CCT Smart LED Garden Lamp

Model No.: FUTC04

Power: 6W


Voltage : AC100~240V 50/60Hz

Kelvin: 2700~6500K Luminous Flux: 420LM Luminous Efficiency: 70LM/W

CRI: >75 PF: >0.5

Lifespan : 50000 hours Beam Angle : 25° Illumination distance : >10m

IP Rate : IP66









## 15W RGB+CCT LED Garden Light



Product Name: 15W RGB+CCT LED Garden Lamp

Model No.: FUTC03

Power: 15W

Input Voltage : AC100~240V 50/60Hz Color Temperature : 2700K~6500K


Luminous Flux : 1200LM Light Efficiency : 80LM/W


CRI: >80 PF: >0.5

Lifespan: 50000 hours Beam Angle: 15°

Illumination distance : >10m

IP Rate: IP65 Material: Aluminum









#### 9W RGB+CCT LED Garden Light DC 24V



Product Name: 9W RGB+CCT LED Garden Lamp

Model No.: FUTC01 Power: 9W

Input Voltage: DC 24V

Color Temperature: 2700K~6500K


Luminous Flux: 700LM Light Efficiency: 80LM/W

CRI: >80

Lifespan: 50000 hours Beam Angle: 15°

Illumination distance: >10m

IP Rate: IP65 Material: Aluminum







## 9W RGB+CCT LED Garden Light AC100~240V



Product Name: 9W RGB+CCT LED Garden Lamp

Model No.: FUTC02

Power: 9W

Input Voltage: AC100~240V 50/60Hz Color Temperature: 2700K~6500K

Luminous Flux: 700LM

Light Efficiency: 80LM/W


CRI: >80


PF: >0.5

Lifespan: 50000 hours Beam Angle: 15°

Illumination distance: >10m

IP Rate: IP65 Material: Aluminum







#### RGB+CCT LED Wall Washer Light



Product Name: RGB+CCT LED Wall Washer Light(Subordinate Lamp)

Model No.: SYS-RL1 Input Voltage: DC24V Power: 24W

Working Temperature: -20~60 Color temperature: 2700~6500K

Luminous Flux: 1800LM Light Efficiency: 75LM/W

CRI: >80 Lifespan: 50000h Beam Angle: 15\*60° Illumination distance: >15m

IP Rate: IP66

Housing Material: Die-cast aluminum,







## 24W RGB+CCT LED Wall Washer Light



Product Name: 24W RGB+CCT LED Wall Washer Light

Model No.: RL1-24

Input Voltage: AC100~240V 50/60Hz

Power: 24W

Working Temperature: -20~60 ℃ Color temperature: 2700~6500K Luminous Flux: 1800LM

Light Efficiency: 75LM/W

CRI: >80 PF: >0.9 Lifespan: 50000h Beam Angle: 15\*60° Illumination distance: >15m

IP Rate: IP66 Housing Material: Die-cast aluminum,

stalinite







#### 50W RGB+CCT LED Floodlight



Product Name: 50W RGB+CCT LED Floodlight Model No: FUTT02

Power: 50W
White LED Power: 50W
RGB LED Power: 36W
Voltage: AC100~240V 50/60Hz


Kelvin: 2700-6500K Luminous Flux: 3500-4000LM Luminous Efficiency: 80LM/W

CRI: >80 Beam Angle: 160°

PF: ≥0.9

Material: Aluminum Material IP Rate: IP65 Size: 220\*50\*310.5mm

Application Areas: garden, doors, garages











## 30W RGB+CCT LED Floodlight



Product Name: 30W RGB+CCT LED Floodlight

Model No: FUTT03 Power: 30W White LED Power: 30W RGB LED Power: 30W

Voltage: AC100~240V 50/60Hz Kelvin: 2700-6500K


Luminous Flux: 2500-2800LM Luminous Efficiency: 85LM/W CRI: >80

Beam Angle: 160°

PF: ≥0.9

Material: Aluminum Material IP Rate: IP65 Size: 167\*40\*226.5mm

Application Areas: garden, doors, garages









#### 20W RGB+CCT LED Floodlight



Product Name: 20W RGB+CCT LED Floodlight

Model No: FUTT04 Power: 20W

White LED Power: 20W RGB LED Power: 20W

Voltage: AC100~240V 50/60Hz

Kelvin: 2700-6500K

Luminous Flux: 1500-1800LM Luminous Efficiency: 85LM/W


CRI: >80

Beam Angle: 160° PF: ≥0.9


Material: Aluminum Material


IP Rate∶IP65 Size: 152\*40\*216.5mm

Application Areas: garden, doors, garages









## 10W RGB+CCT LED Floodlight Voltage: AC100~240V or DC24V



Product Name: 10W RGB+CCT LED Floodlight

Model No.: FUTT05 Power: 10W

White LED Power: 10W

RGB LED Power: 7.5W Voltage: AC100~240V or DC24V


Kelvin: 2700-6500K


Luminous Flux: 750-900LM Luminous Efficiency: 85LM/W

Standby Power Consumption: 0.5W


CRI: >80 PF: >0.5


Beam Angle: 160° IP Rate: IP65 Size: 107\*32\*166mm











# **New Jersey**

NES Light INC.

1179 Edgewater Ave. Ridgefield, NJ 07657

Tel: (201) 840-0400

E-mail : neslight@gmail.com info@neslight.com

## Virginia

HIZ SOLUTION INC.

7535 Little River Turnpike #120-C, Annandale, VA 22003

Tel: (703) 898-6836

E-mail: info@hizdesign.com